

# Tor

SPOT



## DESCRIPTION

Recessed spotlight for general and accent lighting with impressive features: powerful and extremely flexible, yet small and convenient.

The design of the TOR light fixture allows it to be rotated to highlight a product or blend seamlessly with the ceiling for general room lighting.



**Creates focused light.**



**Power.** Allows for fewer fixtures to be used in the project.



**Compactness:** The choice for those who seek to maximize their space, while benefiting from an efficient lighting fixture.





# Tor



## SPOT

### Nomenclature

Luminaire SPOT Tor					SO	24°	13W	840	BI	IP21	BL			
Order Type	Luminaire Beam Angle	Luminaire Power, W	Luminaire Color Rendering Index (CRI)	Luminaire Color Temperature, K	Special Luminaire Light			Luminaire Mounting Type	Luminaire IP Rating	Luminaire Housing Color				
SO	24°	13	8	3000	meat red meat white meat vivid elite bread bread vivid bakery cheese vegetables&fruits vegetables&fruits vivid fish white fish vivid fish premium color 3000 bright color 3000 bright color 3500 true white premium white 3000 premium white 3500 premium white 4000	BI	IP21	BL	black RAL 9005					
		19		3500					RAL 9005					
	36°	22	9	4000								WH	white RAL9016	
		24		2700										
		27		3000										
		30		3500										
		32		4000										

The deviation of actual power consumption from the specified values does not exceed ±5%;  
 The luminous flux calculation is based on LEDs with a color temperature of 4000K, CRI80. The deviation of luminous flux from the specified values does not exceed ±10%

## Beam angle



Technical details, as well as size and weight parameters were prepared as accurately as possible. All dimensions in mm. LED Lifetime Information - L90 / B10 at 25 °C ambient temperature. A tolerance of +/- 10% applies to luminous flux and performance characteristics. Minimum color rendering indices Ra > 80 / > 90. Product images are used as an example and may differ from the original. We reserve the right to make changes in order to improve the product.